

CORRECTION

Open Access



Correction: DNA methylation-mediated ROS production contributes to seed abortion in litchi

Hanhan Xie¹, Yedan Zheng¹, Mengyue Xue¹, Yulian Huang¹, Dawei Qian¹, Minglei Zhao^{1*} and Jianguo Li^{1*}

Correction: *Mol Horticulture* 4, 12 (2024)
<https://doi.org/10.1186/s43897-024-00089-0>

After publication of this article (Xie et al. 2024), it was brought to our attention that the authors affiliations need to be corrected:

The incorrect author list and affiliations:

Hanhan Xie^{1,3}, Yedan Zheng^{1,3}, Mengyue Xue^{1,3}, Yulian Huang^{1,3}, Dawei Qian^{1,3}, Minglei Zhao^{1,2,3,4*} and Jianguo Li^{1,2,3,4*}

¹ Guangdong Laboratory for Lingnan Modern Agriculture, Guangzhou, 510642, China

² State Key Laboratory for Conservation and Utilization of Subtropical Agro-Bioresources, South China Agricultural University, Guangzhou, 510642, China

³ Key Laboratory of Biology and Genetic Improvement of Horticultural Crops (South China), Ministry of Agriculture and Rural Affairs, College of Horticulture, South China Agricultural University, Guangzhou, 510642, China

⁴ Guangdong Litchi Engineering Research Center, College of Horticulture, South China Agricultural University, Guangzhou, 510642, China

The correct affiliation for all authors:

State Key Laboratory for Conservation and Utilization of Subtropical Agro-Bioresources, Guangdong Laboratory for Lingnan Modern Agriculture, Key Laboratory of Biology and Genetic Improvement of Horticultural Crops (South China), Ministry of Agriculture and Rural Affairs, Guangdong Litchi Engineering Research Center, College of Horticulture, South China Agricultural University, Guangzhou, 510642, China

The original publication has been corrected.

Published online: 27 May 2024

Reference

Xie, et al. DNA methylation-mediated ROS production contributes to seed abortion in litchi. *Mol Horticulture*. 2024;4:12. <https://doi.org/10.1186/s43897-024-00089-0>.

The original article can be found online at <https://doi.org/10.1186/s43897-024-00089-0>.

*Correspondence:

Minglei Zhao
zml503@scau.edu.cn
Jianguo Li
jianli@scau.edu.cn

¹ State Key Laboratory for Conservation and Utilization of Subtropical Agro-Bioresources, Guangdong Laboratory for Lingnan Modern Agriculture, Key Laboratory of Biology and Genetic Improvement of Horticultural Crops (South China), Ministry of Agriculture and Rural Affairs, Guangdong Litchi Engineering Research Center, College of Horticulture, South China Agricultural University, Guangzhou 510642, China



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.